

MICRO BIRD® MB-II GM - MFSAB



Economical transportation for up to 20 passengers



Multi-Function School Activity Bus

Built to FMVSS/CMVSS School bus construction for your peace of mind.



Integrated child seats and 3-point lap and shoulder seat belts are available for enhanced safety and versatility.



Maximum visibility of loading zone is provided by fully-glassed entrance door and unobstructed "More-View" window. Standard 24" electric double-opening door.



LED clearance lights, direction lights, stop lights and back-up lights are standard equipment offering enhanced safety, while reducing operating and maintenance costs.



Also Available:

Special needs Micro Bird with double-leaf wheelchair doors offer protection on both sides of the lift, thus adding to passenger safety, while offering superior weather seal and door strength.



COUNT ON BLUE BIRD

LEARN MORE AT WWW.BLUE-BIRD.COM

MICRO BIRD® MB-II GM - SPECIFICATIONS



BODY DIMENSIONS	MODEL	400	500	700	800
	Maximum passenger capacity	20	20	20	14
	Number of rows	4	5	4	5
	Exterior length overall	234"	254"	234"	254"
	Exterior width overall	86"	86"	86"	86"
	Exterior height overall	101"	101"	109"	109"
	Interior floor length	131"	156"	131"	156"
	Interior width at hip	82"	82"	82"	82"
	Interior height at center line	66"	66"	74"	74"
	Entrance door	24" x 72"	24" x 72"	24" x 77"	24" x 77"
Side windows	23" x 22"	23" x 22"	31" x 22"	31" x 22"	
Rear bumper	3/16" x 8" with 12" wrap around				

GMC / CHEVY CHASSIS	MODEL	400	500	700	800
	Wheelbase	139"			
	Engine	4.8 L gas / 6.0 L gas / 6.6 L diesel*			
	Transmission	6-speed automatic heavy duty overdrive			
	GVWR	9,900 lbs			
	Fuel tank	33 gallons			
	Brakes	4-wheel anti-lock, 4-wheel disc			
	Tires	LT245/75R16E all-season, blackwall			
	Alternator	145 amp			
	Battery	600 CCA (gas) / 770 CCA (diesel)			

*Available only on models 500 and 800

STANDARD BODY EQUIPMENT	Bumper aluminum	Padding all doors
	Emergency triangular warning device*	Paint exterior white
	Entrance door manual	Paint interior white
	Entrance door grab handle left	Paint rub rail white
	Floor plywood 1/2" (4 ply)	Rear door 2 windows
	Flooring grey rib in aisle	Rear door 3 point slide bar latch
	Flooring grey smooth under seat	Rear door retainer*
	Flooring steps grey with white nosing	Reflective tape rear emergency exit*
	FMVSS seat belt anchorage	Roof bow one piece, hat section type
	Heater 20,500 BTU	Rub rail floor level
	Interior below window embossed aluminum	Rub rail seat level with wrap around
	Interior mirror 6" x 16"	Shut-off valve under body
	Joint strength	Speakers (2)
	Lights clearance LED	Stepwell light LED
	Lights dome (4)	Undercoating
	Lights marker LED	Windows back (2) tinted 62%
	Lights back-up LED	Windows rear door tinted 62%
	Lights stop and tail LED	Windows side tinted 62%
	Lights turn LED	*Standard in the US, optional in Canada
Mirrors crossview		
Mirrors rearview		

OPTIONS	Air conditioning	Lift door with tinted windows
	Audio / PA. systems	Lift wheelchair
	Back-up sensors	Lift wheelchair tie-down
	Barriers	Light monitoring system
	Bumper steel	Luggage containment systems
	Driver side auxiliary step	Reflective exterior signs
	Electronic sleeping child monitoring system	Remote / heated mirrors
	Emergency equipment	Rub rail skirt level
	Entrance door electric	Rub rail window level
	Entrance door grab handle right	Seats
	Floor plywood 5/8" (5 ply) marine grade	Vandal lock system
	Floor steel	Video monitoring / tracking system
	Heater 42,000 BTU	Wheelchair and occupant restraint system
	Integrated toddler seats	Wheelchair lift with interlock device
	Lap and shoulder belt seating	
	Lift door	



Galvanized Steel Structure and Side Impact Barriers

- Completely gasketed steel body frame ensures that all exterior elements, including dust, moisture and noise, remain outside the passenger compartment.
- Superior side impact protection is offered by the use of heavy-gauge steel side impact barriers that incorporate the seat rail into the design for extra strength.



Double Action Energy Absorbing Body Mounting Blocks

- Absorb road vibration
- Reduce noise transfer to the cabin interior
- Offer extended body durability
- Smoother passenger ride
- Prevent frame collapse
- Eliminate the need for periodic tightening of body bolts



Superior Insulation

- 1.5" fiberglass throughout
- Insulated roof bows
- Reduction in noise transfer into passenger compartment
- Prevents condensation




Patented Extra Wide Oval Body

- Aerodynamic styling
- Wider seating for increased comfort;
- Wider aisle for increased safety
- Better compartmentalization

Floor Plans

A wide range of configurations to better accommodate your needs.



More options available...

Specifications shown in this brochure were in effect at time of printing. In keeping with its policy of continual improvement, Micro Bird, Inc. reserves the right to change specifications without notice and without incurring obligations.